Number	Hits	Search Text	DB	Time stamp
	57	(access adj control) with BIOS	USPAT;	2003/11/06 15:5
		;	US-PGPUB;	=000, =1,00 =0.0
			EPO; JPO;	
			DERWENT	
	35	((access adj control) with BIOS) and @ad<=19981230	USPAT;	2003/11/03 15:
	33	((decess day control) with biosy and @dd <=15501250	US-PGPUB;	2003/11/03 13.5
			EPO; JPO;	
			DERWENT	
	47	(access adj control) with boot	USPAT;	2003/11/03 15:
	.,	decess day controlly with boot	US-PGPUB;	2003/11/03 13.
			EPO; JPO;	
				}
	18	((access adj control) with heat) and @ad < 10001330	DERWENT	3003 (44 (03 45
	10	((access adj control) with boot) and @ad<=19981230	USPAT;	2003/11/03 15:
			US-PGPUB;	
			EPO; JPO;	
	0.4	(marks 442) with (marks)	DERWENT	
	31	(protect\$3) with (operating adj system adj data)	USPAT;	2003/11/03 15:5
			US-PGPUB;	
			EPO; JPO;	
		,	DERWENT	
	13	((protect\$3) with (operating adj system adj data)) and	USPAT;	2003/11/03 15:
		@ad<=19981230	US-PGPUB;	
			EPO; JPO;	
i			DERWENT	
.	75	(record or stor\$3 or sav\$3) with (access adj history) with	USPAT;	2003/11/03 16:0
		memory	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
	42	((record or stor\$3 or sav\$3) with (access adj history) with	USPAT;	2003/11/03 16:0
		memory) and @ad<=19981230	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
	237	(stor\$3 or sav\$4 or record\$3) with (data or (access adj history)	USPAT;	2003/11/03 16:1
		or file) with (protected or safe or secure) adj3 (region or	US-PGPUB;	
		section or portion)	EPO; JPO;	
		•	DERWENT	
	0	(((stor\$3 or sav\$4 or record\$3) with (data or (access adj	USPAT;	2003/11/03 16:0
		history) or file) with (protected or safe or secure) adj3 (region	US-PGPUB;	, ,
		or section or portion)) and @ad<=19981230) and (((record or	EPO; JPO;	
		stor\$3 or sav\$3) with (access adj history) with memory) and	DERWENT	
		@ad<=19981230)		,
	0	((stor\$3 or sav\$4 or record\$3) with (data or (access adj	USPAT;	2003/11/03 16:0
		history) or file) with (protected or safe or secure) adj3 (region	US-PGPUB;	
		or section or portion)) and (((record or stor\$3 or sav\$3) with	EPO; JPO;	
-		(access adj history) with memory) and @ad<=19981230)	DERWENT	
	140	((stor\$3 or sav\$4 or record\$3) with (data or (access adj	USPAT;	2003/11/03 16::
		history) or file) with (protected or safe or secure) adi3 (region	US-PGPUB;	2003, 11, 03 10
		or section or portion)) and @ad<=19981230	EPO; JPO;	
		The second of positions y used Gud 1-15501250	DERWENT	
	3	(establish\$3 or creat\$3 or generat\$3) adj4 (protected or secure	USPAT;	2003/11/02 15:4
	,	or safe) adj (region or portion) with memory	US-PGPUB;	2003/11/03 16:1
		or safe, and tregion or portion, with memory		
	ĺ		EPO; JPO;	
	36	(actablished or croated or concented) adid (actablished ac-	DERWENT	2002/44/02 45
	30	(establish\$3 or creat\$3 or generat\$3) adj4 (protected or secure	USPAT;	2003/11/03 16:1
		or safe) adj (region or portion)	US-PGPUB;	
	l		EPO: JPO:	l

((establish\$3 or creat\$3 or generat\$3) adj4 (protected or

secure or safe) adj (region or portion)) and @ad<=19981230

EPO; JPO; DERWENT

US-PGPUB; EPO; JPO; DERWENT 2003/11/03 16:13

USPAT;

27



-	928	(maintain\$3 or record\$3 or stor\$3) with ((boot\$3 adj record) or	USPAT;	2003/11/03 16:23
		(access adj history))	US-PGPUB;	
			EPO; JPO; DERWENT	
_	7	((maintain\$3 or record\$3 or stor\$3) with ((boot\$3 adj record)	USPAT;	2003/11/03 16:21
	·	or (access adj history))) with ((protected or secure) adj	US-PGPUB;	,,
		(region))	EPO; JPO;	
	463	//www.intoint2.ou.unanudt2.ou.utout2)ith //boott2.adi.rogord)	DERWENT	2002/11/05 16:04
-	463	((maintain\$3 or record\$3 or stor\$3) with ((boot\$3 adj record) or (access adj history))) and @ad<=19981230	USPAT; US-PGPUB;	2003/11/05 16:04
		or (access any miscory)) y and Gad (=15501250	EPO; JPO;	
			DERWENT	